

List of publications of AEL 1994–2013

1. Aalto, P., Hämeri, K., Becker, E., Weber, R., Salm, J., Mäkelä, J. M., Hoell, C., O'Dowd, C. D., Karlsson, H., Hansson, H. -C., Väkevä, M., Koponen, I. K., Buzorius, G., & Kulmala, M. (2001). Physical characterization of aerosol particles during nucleation events. *Tellus B - Chem. Phys. Meteorol.*, 53:344–358.
2. Ankilov, A., Baklanov, A., Colhoun, M., Enderle, KH., Gras, J., Julanov, Y., Kaller, D., Lindner, A., Lushnikov, AA., Mavliev, R., McGovern, F., Mirme, A., O'Connor, TC., Podzimek, J., Preining, O., Reischl, GP., Rudolf, R., Sem, GJ., Szymanski, WW., Tamm, E., Vrtala, AE., Wagner, PE., Winklmayr, W., & Zagaynov, V. (2002). Intercomparison of number concentration measurements by various aerosol particle counters. *Atmos. Res.*, 62:177–207.
3. Asmi, E., Sipilä, M., Manninen, H. E., Vanhanen, J., Lehtipalo, K., Gagné, S., Neitola, K., Mirme, A., Mirme, S., Tamm, E., Uin, J., Komsaare, K., Attoui, M., & Kulmala, M. (2009). Results of the first air ion spectrometer calibration and intercomparison workshop. *Atmos. Chem. Phys.*, 9:141–154.
4. Belova, E., Kirkwood, S., & Tammet, H. (2001). The effect of magnetic substorms on near-ground atmospheric current. *Annales Geophysicae-Atmospheres Hydrospheres and Space Sciences*, 18:1623–1629.
5. de Hartog, J. J., Hoek, G., Mirme, A., Tuch, T., Kos, G. P. A., ten Brink, H. M., Brunekreef, B., Cyrys, J., Heinrich, J., Pitz, M., Lanki, T., Vallius, M., Pekkanen, J., & Kreyling, W. G. (2005). Relationship between different size classes of particulate matter and meteorology in three European cities. *J. Environ. Monitoring*, 7:302–310.
6. Ehn, M., Junninen, H., Schobesberger, S., Manninen, H. E., Franchin, A., Sipilä, M., Petäjä, T., Kerminen, V. -M., Tammet, H., Mirme, A., Mirme, S., Hörrak, U., Kulmala, M., & Worsnop, D. R. (2011). An instrumental comparison of mobility and mass measurements of atmospheric small ions. *Aerosol Sci. Technol.*, 45:522–532.
7. Ehn, M., Vuollekoski, H., Petäjä, T., Kerminen, V. -M., Vana, M., Aalto, P., de Leeuw, G., Ceburnis, D., Dupuy, R., O'Dowd, C. D., & Kulmala, M. (2010). Growth rates during coastal and marine new particle formation in Western Ireland. *J. Geophys. Res.-Atmos.*, 115:D218.
8. Gagné, S., Lehtipalo, K., Manninen, H. E., Nieminen, T., Schobesberger, S., Franchin, A., Yli-Juuti, T., Boulon, J., Sonntag, A., Mirme, S., Mirme, A., Hörrak, U., Petäjä, T., Asmi, E., & Kulmala, M. (2011). Intercomparison of air ion spectrometers: an evaluation of results in varying conditions. *Atmos. Meas. Techn.*, 4:805–822.
9. Gagné, S., Leppä, J., Petäjä, T., McGrath, M. J., Vana, M., Kerminen, V. -M., Laakso, L., & Kulmala, M. (2012). Aerosol charging state at an urban site: new analytical approach and implications for ion-induced nucleation. *Atmos. Chem. Phys.*, 12:4647–4666.
10. Harrison, R. G., & Tammet, H. (2008). Ions in the terrestrial atmosphere and other solar system atmospheres. *Space Sci. Rev.*, 137:107–118.

11. Hirsikko, A., Bergman, T., Laakso, L., Dal Maso, M., Riipinen, I., Hörrak, U., & Kulmala, M. (2007). Identification and classification of the formation of intermediate ions measured in boreal forest. *Atmos. Chem. Phys.*, 7:201–210.
12. Hirsikko, A., Laakso, L., Hörrak, U., Aalto, P. P., Kerminen, V. M., & Kulmala, M. (2005). Annual and size dependent variation of growth rates and ion concentrations in boreal forest. *Boreal Environ. Res.*, 10:357–369.
13. Hirsikko, A., Nieminen, T., Gagné, S., Lehtipalo, K., Manninen, H. E., Ehn, M., Hörrak, U., Kerminen, V. -M., Laakso, L., McMurry, P. H., Mirme, A., Mirme, S., Petäjä, T., Tammet, H., Vakkari, V., Vana, M., & Kulmala, M. (2011). Atmospheric ions and nucleation: a review of observations. *Atmos. Chem. Phys.*, 11:767–798.
14. Hirsikko, A., Vakkari, V., Tiitta, P., Manninen, H. E., Gagné, S., Laakso, H., Kulmala, M., Mirme, A., Mirme, S., Mabaso, D., Beukes, J. P., & Laakso, L. (2012). Characterisation of sub-micron particle number concentrations and formation events in the western Bushveld Igneous Complex, South Africa. *Atmos. Chem. Phys.*, 12:3951–3967.
15. Hörrak, U., Aalto, P. P., Salm, J., Komsaare, K., Tammet, H., Mäkelä, J. M., Laakso, L., & Kulmala, M. (2008). Variation and balance of positive air ion concentrations in a boreal forest. *Atmos. Chem. Phys.*, 8:655–675.
16. Hörrak, U., Iher, H., Luts, A., Salm, J., & Tammet, H. (1994). Mobility spectrum of air ions at Tahkuse Observatory. *J. Geophys. Res.-Atmos.*, 99:10697–10700.
17. Hörrak, U., Mirme, A., Salm, J., Tamm, E., & Tammet, H. (1998). Air ion measurements as a source of information about atmospheric aerosols. *Atmos. Res.*, 46:233–242.
18. Hörrak, U., Salm, J., & Tammet, H. (1998). Bursts of intermediate ions in atmospheric air. *J. Geophys. Res.-Atmos.*, 103:13909–13915.
19. Hörrak, U., Salm, J., & Tammet, H. (2000). Statistical characterization of air ion mobility spectra at Tahkuse Observatory: Classification of air ions. *J. Geophys. Res.-Atmos.*, 105:9291–9302.
20. Hörrak, U., Salm, J., & Tammet, H. (2003). Diurnal variation in the concentration of air ions of different mobility classes in a rural area. *J. Geophys. Res.-Atmos.*, 108, 11:C–C.
21. Hosiokangas, J., Vallius, M., Ruuskanen, J., Mirme, A., & Pekkanen, J. (2004). Resuspended dust episodes as an urban air-quality problem in subarctic regions. *Scandinavian Journal of Work, Environment & Health*, 30:28–35.
22. Intra, P., Salm, J., & Tippayawong, N. (2013). Influence of Diffusion on the Resolution of a Multi-Channel Electrical Mobility Analyzer. *Particulate Science and Technology: An International Journal*, 31:128–135.
23. Israelsson, S., & Tammet, H. (2001). Variation of fair weather atmospheric electricity at Marsta Observatory, Sweden, 1993-1998. *J. Atmos. Solar-Terr. Phys.*, 63:1693–1703.
24. Junninen, H., Hulkkonen, M., Riipinen, I., Nieminen, T., Hirsikko, A., Suni, T., Boy,

- M., Lee, S. -H., Vana, M., Tammet, H., & Kulmala, M. (2008). Observations on nocturnal growth of atmospheric clusters. *Tellus B - Chem. Phys. Meteorol.*, 60:365–371.
25. Kaasik, M., Sofiev, M., Prank, M., Ruuskanen, T., Kukkonen, J., Hörrak, U., & Kulmala, M. (2011). Geographical origin of aerosol particles observed during the LAPBIAT measurement campaign in spring 2003 in Finnish Lapland. *Boreal Environ. Res.*, 16:15–35.
 26. Kerminen, V. -M., Petäjä, T., Manninen, H. E., Paasonen, P., Nieminen, T., Sipilä, M., Junninen, H., Ehn, M., Gagné, S., Laakso, L., Riipinen, I., Vehkamäki, H., Kurten, T., Ortega, I. K., Dal Maso, M., Brus, D., Hyvärinen, A., Lihavainen, H., Leppä, J., Lehtinen, K. E. J., Mirme, A., Mirme, S., Hörrak, U., Berndt, T., Stratmann, F., Birmili, W., Wiedensohler, A., Metzger, A., Dommen, J., Baltensperger, U., Kiendler-Scharr, A., Mentel, T. F., Wildt, J., Winkler, P. M., Wagner, P. E., Petzold, A., Minikin, A., Plass-Dülmer, C., Pöschl, U., Laaksonen, A., & Kulmala, M. (2010). Atmospheric nucleation: highlights of the EUCAARI project and future directions. *Atmos. Chem. Phys.*, 10:10829–10848.
 27. Khlystov, A., Kos, G. P. A., ten Brink, H. M., Mirme, A., Tuch, T., Roth, C., & Kreyling, W. G. (2001). Comparability of three spectrometers for monitoring urban aerosol. *Atmos. Environ.*, 35:2045–2051.
 28. Kikas, U., Mirme, A., Tamm, E., & Raunemaa, T. (1996). Statistical characteristics of aerosol in Baltic Sea region. *J. Geophys. Res.-Atmos.*, 101:19319–19327.
 29. Kikas, Ü., Reinart, A., Pugatshova, A., Tamm, E., & Ulevicius, V. (2008). Microphysical, chemical and optical aerosol properties in the Baltic Sea region. *Atmos. Res.*, 211–222.
 30. Kimmel, V., Tammet, H., & Truuts, T. (2002). Variation of atmospheric air pollution under conditions of rapid economic change - Estonia 1994-1999. *Atmos. Environ.*, 36:4133–4144.
 31. Komppula, M., Vana, M., Kerminen, V. -M., Lihavainen, H., Viisanen, Y., Hörrak, U., Komsaare, K., Tamm, E., Hirsikko, A., Laakso, L., & Kulmala, M. (2007). Size distributions of atmospheric ions in the Baltic Sea region. *Boreal Environ. Res.*, 12:323–336.
 32. Korhonen, H., Lehtinen, K. E. J., Pirjola, L., Napari, I., Vehkamäki, H., Noppel, M., & Kulmala, M. (2003). Simulation of atmospheric nucleation mode: A comparison of nucleation models and size distribution representations. *J. Geophys. Res.-Atmos.*, 108:4471.
 33. Kulmala, M., Asmi, A., Lappalainen, H. K., Baltensperger, U., Brenguier, J. -L., Facchini, M. C., Hansson, H. -C., Hov, Ø., O'Dowd, C. D., Pöschl, U., Wiedensohler, A., Boers, R., Boucher, O., de Leeuw, G., Denier van der Gon, H. A. C., Feichter, J., Krejci, R., Laj, P., Lihavainen, H., Lohmann, U., McFiggans, G., Mentel, T., Pilinis, C., Riipinen, I., Schulz, M., Stohl, A., Swietlicki, E., Vignati, E., Alves, C., Amann, M., Ammann, M., Arabas, S., Artaxo, P., Baars, H., Beddows, D. C. S., Bergström, R., Beukes, J. P., Bilde, M., Burkhardt, J. F., Canonaco, F., Clegg, S. L., Coe, H., Crumeyrolle, S., D'Anna, B., Decesari, S., Gilardoni, S., Fischer, M., Fjaeraa, A. M.,

- Fountoukis, C., George, C., Gomes, L., Halloran, P., Hamburger, T., Harrison, R. M., Herrmann, H., Hoffmann, T., Hoose, C., Hu, M., Hyvärinen, A., Hörrak, U., Iinuma, Y., Iversen, T., Josipovic, M., Kanakidou, M., Kiendler-Scharr, A., Kirkevåg, A., Kiss, G., Klimont, Z., Kolmonen, P., Komppula, M., & Kristjánsson, J. -E. (2011). General overview: European Integrated project on Aerosol Cloud Climate and Air Quality interactions (EUCAARI) – integrating aerosol research from nano to global scales. *Atmos. Chem. Phys.*, 11:13061–13143.
34. Kulmala, M., Kerminen, V. -M., Laaksonen, A., Riipinen, I., Sipilä, M., Ruuskanen, T. M., Sogacheva, L., Hari, P., Bäck, J., Lehtinen, K. E. J., Viisanen, Y., Bilde, M., Svenningsson, B., Lazaridis, M., Tørseth, K., Tunved, P., Nilsson, E. D., Pryor, S., Sørensen, L. -L., Hörrak, U., Winkler, P. M., Swietlicki, E., Riekkola, M. -L., Krejci, R., Hoyle, C., Hov, Ø., Myhre, G., & Hansson, H. -C. (2008). Overview of the biosphere–aerosol–cloud–climate interactions (BACCI) studies. *Tellus B - Chem. Phys. Meteorol.*, 60:300–317.
 35. Kulmala, M., Laakso, L., Lehtinen, K. E. J., Riipinen, I., Dal Maso, M., Anttila, T., Kerminen, V. -M., Hörrak, U., Vana, M., & Tammet, H. (2004). Initial steps of aerosol growth. *Atmos. Chem. Phys.*, 4:2553–2560.
 36. Kulmala, M., Riipinen, I., Nieminen, T., Hulkkonen, M., Sogacheva, L., Manninen, H. E., Paasonen, P., Petäjä, T., Dal Maso, M., Aalto, P. P., Viljanen, A., Usoskin, I., Vainio, R., Mirme, S., Mirme, A., Minikin, A., Petzold, A., Hörrak, U., Plaß-Dülmer, C., Birmili, W., & Kerminen, V. -M. (2010). Atmospheric data over a solar cycle: no connection between galactic cosmic rays and new particle formation. *Atmos. Chem. Phys.*, 10:1885–1898.
 37. Kulmala, M., Riipinen, I., Sipilä, M., Manninen, H. E., Petäjä, T., Junninen, H., Maso, M. D., Mordas, G., Mirme, A., Vana, M., Hirsikko, A., Laakso, L., Harrison, R. M., Hanson, I., Leung, C., Lehtinen, K. E. J., & Kerminen, V. -M. (2007). Towards Direct Measurement of Atmospheric Nucleation. *Science*, 318:89–92.
 38. Kulmala, M., & Tammet, H. (2007). Finnish-Estonian air ion and aerosol workshops. *Boreal Environ. Res.*, 12:237–245.
 39. Kurtén, T., Vehkamäki, H., Salonen, M., Kulmala, M., & Noppel, M. (2007). Quantum chemical studies of hydrate formation of H₂SO₄ and HSO₄. *Boreal Environ. Res.*, 12:431–453.
 40. Kurtén, T., Kuang, C., Gómez, P., McMurry, P. H., Vehkamäki, H., Ortega, I., Noppel, M., & Kulmala, M. (2010). The role of cluster energy nonaccommodation in atmospheric sulfuric acid nucleation. *J. Chem. Phys.*, 132:024304–024304.
 41. Kurten, T., Sundberg, M. R., Vehkamäki, H., Noppel, M., Blomqvist, J., & Kulmala, M. (2006). Ab initio and density functional theory reinvestigation of gas-phase sulfuric acid monohydrate and ammonium hydrogen sulfate. *J. Phys. Chem. A*, 110:7178–7188.
 42. Laakso, L., Anttila, T., Lehtinen, K. E. J., Aalto, P. P., Kulmala, M., Hörrak, U., Paatero, J., Hanke, M., & Arnold, F. (2004). Kinetic nucleation and ions in boreal forest particle formation events. *Atmos. Chem. Phys.*, 4:2353–2366.

43. Laakso, L., Hirsikko, A., Grönholm, T., Kulmala, M., Luts, A., & Parts, T. -E. (2007). Waterfalls as sources of small charged aerosol particles. *Atmos. Chem. Phys.*, 7:2271–2275.
44. Laakso, L., Petäjä, T., Lehtinen, K. E. J., Kulmala, M., Paatero, J., Hörrak, U., Tammet, H., & Joutsensaari, J. (2004). Ion production rate in a boreal forest based on ion, particle and radiation measurements. *Atmos. Chem. Phys.*, 4:1933–1943.
45. Lehtipalo, K., Kulmala, M., Sipilä, M., Petäjä, T., Vana, M., Ceburnis, D., Dupuy, R., & O'Dowd, C. (2010). Nanoparticles in boreal forest and coastal environment: a comparison of observations and implications of the nucleation mechanism. *Atmos. Chem. Phys.*, 10:7009–7016.
46. Lihavainen, H., Komppula, M., Kerminen, V. -M., Järvinen, H., Viisanen, Y., Lehtinen, K., Vana, M., & Kulmala, M. (2007). Size distributions of atmospheric ions inside clouds and in cloud-free air at a remote continental site. *Boreal Environ. Res.*, 12:337–344.
47. Luts, A. (1995). Evolution of negative small ions at enhanced ionization. *J. Geophys. Res.-Atmos.*, 100:1487–1496.
48. Luts, A. (1998). Temperature variation of the evolution of positive small air ions at constant relative humidity. *J. Atmos. Solar-Terr. Phys.*, 60:1739–1750.
49. Luts, A., Komsaare, K., Parts, T. -E., & Hörrak, U. (2011). Links between two different types of spectra of charged nanometer aerosol particles. *Atmos. Res.*, 101:527–538.
50. Luts, A., & Parts, T. -E. (2002). Evolution of negative small air ions at two different temperatures. *J. Atmos. Solar-Terr. Phys.*, 64:763–774.
51. Luts, A., Parts, T. -E., Hörrak, U., Junninen, H., & Kulmala, M. (2011). Composition of negative air ions as a function of ion age and selected trace gases: Mass- and mobility distribution. *J. Aerosol Sci.*, 42:820–838.
52. Luts, A., Parts, T. -E., Laakso, L., Hirsikko, A., Grönholm, T., & Kulmala, M. (2009). Some air electricity phenomena caused by waterfalls: correlative study of the spectra. *Atmos. Res.*, 91:229–237.
53. Luts, A., & Salm, J. (1994). Chemical-composition of small atmospheric ions near the ground. *J. Geophys. Res.-Atmos.*, D, 99:10781–10785.
54. Luts, A., Parts, T. -E., & Vana, M. (2006). New aerosol particle formation via certain ion driven processes. *Atmos. Res.*, 82:547–553.
55. Manninen, H. E., Franchin, A., Schobesberger, S., Hirsikko, A., Hakala, J., Skromulis, A., Kangasluoma, J., Ehn, M., Junninen, H., Mirme, A., Mirme, S., Sipilä, M., Petäjä, T., Worsnop, D. R., & Kulmala, M. (2011). Characterisation of corona-generated ions used in a Neutral cluster and Air Ion Spectrometer (NAIS). *Atmos. Meas. Techn.*, 4:2767–2776.
56. Manninen, H. E., Nieminen, T., Asmi, E., Gagné, S., Häkkinen, S., Lehtipalo, K., Aalto, P., Vana, M., Mirme, A., Mirme, S., Hörrak, U., Plass-Dülmer, C., Stange, G., Kiss, G., Hoffer, A., Törö, N., Moerman, M., Henzing, B., de Leeuw, G.,

- Brinkenberg, M., Kouvarakis, G. N., Bougiatioti, A., Mihalopoulos, N., O'Dowd, C., Ceburnis, D., Arneth, A., Svenningsson, B., Swietlicki, E., Tarozzi, L., Decesari, S., Facchini, M. C., Birmili, W., Sonntag, A., Wiedensohler, A., Boulon, J., Sellegri, K., Laj, P., Gysel, M., Bukowiecki, N., Weingartner, E., Wehrle, G., Laaksonen, A., Hamed, A., Joutsensaari, J., Petäjä, T., Kerminen, V. -M., & Kulmala, M. (2010). EUCAARI ion spectrometer measurements at 12 European sites – analysis of new particle formation events. *Atmos. Chem. Phys.*, 10:7907–7927.
57. Manninen, H. E., Petäjä, T., Asmi, E., Riipinen, I., Nieminen, T., Mikkilä, J., Hörrak, U., Mirme, A., Mirme, S., Laakso, L., Kerminen, V. -M., & Kulmala, M. (2009). Long-term field measurements of charged and neutral clusters using Neutral cluster and Air Ion Spectrometer (NAIS). *Boreal Environ. Res.*, 14:591–605.
 58. Mirme, A., Kreyling, W. G., Khlystov, A., ten Brink, H., Ruuskanen, J., Tuch, T., & Pekkanen, J. (2002). Intercomparison of aerosol spectrometers for ambient air monitoring. *Aerosol Sci. Technol.*, 36:866–876.
 59. Mirme, A., Tamm, E., Mordas, G., Vana, M., Uin, J., Mirme, S., Bernotas, T., Laalso, L., Hirsikko, A., & Kulmala, M. (2007). A wide range multi-channel Air Ion Spectrometer. *Boreal Environ. Res.*, 12:247–264.
 60. Mirme, S., Mirme, A., Minikin, A., Petzold, A., Hörrak, U., Kerminen, V. -M., & Kulmala, M. (2010). Atmospheric sub-3 nm particles at high altitudes. *Atmos. Chem. Phys.*, 10:437–451.
 61. Napari, I., Noppel, M., Vehkamäki, H., & Kulmala, M. (2002). An improved model for ternary nucleation of sulfuric acid-ammonia-water. *J. Chem. Phys.*, 116:4221–4227.
 62. Napari, I., Noppel, M., Vehkamäki, H., & Kulmala, M. (2002). Parametrization of ternary nucleation rates for H₂SO₄-NH₃-H₂O vapors. *J. Geophys. Res.-Atmos.*, 107:C–C.
 63. Noppel, M. (1998). Binary nucleation of water-sulfuric acid system: A reexamination of the classical hydrates interaction model. *J. Chem. Phys.*, 109:9052–9056.
 64. Noppel, M. (2000). Enthalpy and entropy changes in formation of gas phase sulfuric acid monohydrates and dihydrates as a result of fitting to experimental pressure data. *J. Geophys. Res.-Atmos.*, 105:19779–19785.
 65. Noppel, M. (2003). Self-consistent binary cluster size distributions: nucleation of sulfuric acid-water vapors. *Atmos. Res.*, 65:285–301.
 66. Noppel, M., Vehkamäki, H., & Kulmala, M. (2002). An improved model for hydrate formation in sulfuric acid-water nucleation. *J. Chem. Phys.*, 116:218–228.
 67. Noppel, M., Vehkamäki, H., & Kulmala, M. (2003). Reversible work of the formation of a layer of a new phase on a spherical charged conductor within a uniform multicomponent macroscopic mother phase. *J. Chem. Phys.*, 119:10733–10744.
 68. Noppel, M., Vehkamäki, H., Winkler, P. M., Kulmala, M., & Wagner, P. E. (2013). Heterogeneous nucleation in multi-component vapor on a partially wettable charged

conducting particle. I. Formulation of general equations: Electrical surface and line excess quantities. *J. Chem. Phys.*, 139:134107–134107.

69. Noppel, M., Vehkamäki, H., Winkler, P. M., Kulmala, M., & Wagner, P. E. (2013). Heterogeneous nucleation in multi-component vapor on a partially wettable charged conducting particle. II. The generalized Laplace, Gibbs-Kelvin, and Young equations and application to nucleation. *J. Chem. Phys.*, 139:134108–134108.
70. Paasonen, P., Nieminen, T., Asmi, E., Manninen, H. E., Petäjä, T., Plass-Dülmer, C., Flentje, H., Birmili, W., Wiedensohler, A., Hörrak, U., Metzger, A., Hamed, A., Laaksonen, A., Facchini, M. C., Kerminen, V. -M., & Kulmala, M. (2010). On the roles of sulphuric acid and low-volatility organic vapours in the initial steps of atmospheric new particle formation. *Atmos. Chem. Phys.*, 10:11223–11242.
71. Parts, T. -E., Luts, A., Laakso, L., Hirsikko, A., Grönholm, T., & Kulmala, M. (2007). Chemical composition of waterfall-induced air ions: spectrometry vs. simulations. *Boreal Environ. Res.*, 12:409–420.
72. Parts, T. -E., & Luts, A. (2004). Observed and simulated effects of certain pollutants on small air ion spectra: I. Positive ions. *Atmos. Environ.*, 38:1283–1289.
73. Pekkanen, J., Timonen, K. L., Ruuskanen, J., Reponen, A., & Mirme, A. (1997). Effects of ultrafine and fine particles in urban air on peak expiratory flow among children with asthmatic symptoms. *Environ. Res.*, 74:24–33.
74. Penttinen, P., Timonen, K. L., Tiittanen, P., Mirme, A., Ruuskanen, J., & Pekkanen, J. (2001). Number concentration and size of particles in urban air: Effects on spirometric lung function in adult asthmatic subjects. *Environ. Health Persp.*, 109:319–323.
75. Penttinen, P., Timonen, K. L., Tiittanen, P., Mirme, A., Ruuskanen, J., & Pekkanen, J. (2001). Ultrafine particles in urban air and respiratory health among adult asthmatics. *Eur. Respir. J.*, 17:428–435.
76. Pugatshova, A., Iher, H., & Tamm, E. (2007). Modal structure of the atmospheric aerosol particle size spectrum for nucleation burst days (in Estonia). *Boreal Environ. Res.*, 12:361–373.
77. Pugatshova, A., Reinart, A., & Tamm, E. (2007). Features of the multimodal aerosol size distribution depending on the air mass origin in Baltic region. *Atmos. Environ.*, 41:4408–4422.
78. Raunemaa, T., Kuusalo, K., Alander, T., Mirme, A., & Tamm, E. (1996). Age estimation of atmospheric black carbon over Finland from combined aerosol size distribution and radon progeny measurements. *J. Aerosol Sci.*, 27:455–465.
79. Reinart, A., Kikas, U., & Tamm, E. (2006). Investigation of aerosol components influencing atmospheric transfer of UV radiation in Baltic Sea region. *J. Geophys. Res.-Atmos.*, 111:D2205.
80. Reinart, A., Kikas, Ü., & Tamm, E. (2008). Aerosol components and types in the Baltic Sea region. *Boreal Environ. Res.*, 13:103–112.
81. Reponen, A., Ruuskanen, J., Mirme, A., Parjala, E., Hoek, G., Roemer, W.,

- Hosiokangas, J., Pekkanen, J., & Jantunen, M. (1996). Comparison of five methods for measuring particulate matter concentrations in cold winter climate. *Atmos. Environ.*, 30:3873–3879.
82. Ruuskanen, J., Tuch, T., Ten Brink, H., Peters, A., Khlystov, A., Mirme, A., Kos, G. P. A., Brunekreef, B., Wichmann, H. E., Buzorius, G., Vallius, M., Kreyling, W. G., & Pekkanen, J. (2001). Concentrations of ultrafine, fine and PM_{2.5} particles in three European cities. *Atmos. Environ.*, 35:3729–3738.
 83. Ruuskanen, T. M., Kaasik, M., Aalto, P. P., Hörrak, U., Vana, M., Mårtensson, E. M., Yoon, Y. J., Keronen, P., Mordas, G., Ceburnis, D., Nilsson, E. D., ODowd, C., Noppel, M., Alliksaar, T., Ivask, J., Sofiev, M., Prank, M., & Kulmala, M. (2007). Concentrations and fluxes of aerosol particles during the LAPBIAT measurement campaign in Värriö field station. *Atmos. Chem. Phys.*, 7:3683–3700.
 84. Salm, J. (2000). Diffusion distortions in a differential mobility analyzer: The shape of apparent mobility spectrum. *Aerosol Sci. Technol.*, 32:602–612.
 85. Salm, J., & Hörrak, U. (2009). Diffusion Distortions in a Differential Mobility Analyzer with Inclined Electric Field. *Aerosol Sci. Technol.*, 43:227–231.
 86. Salm, J., & Tamm, E. (2011). Dependence of the Ion-Aerosol Equivalent Attachment Coefficient on the Ratio of Polar Conductivities in a Steady State. *Aerosol Air Qual. Res.*, 11:211–217.
 87. Suni, T., Kulmala, M., Hirsikko, A., Bergman, T., Laakso, L., Aalto, P. P., Leuning, R., Cleugh, H., Zegelin, S., Hughes, D., van Gorsel, E., Kitchen, M., Vana, M., Hörrak, U., Mirme, S., Mirme, A., Sevanto, S., Twining, J., & Tardos, C. (2008). Formation and characteristics of ions and charged aerosol particles in a native Australian Eucalypt forest. *Atmos. Chem. Phys.*, 8:129–139.
 88. Svenningsson, B., Arneth, A., Hayward, S., Holst, T., Massling, A., Swietlicki, E., Hirsikko, A., Junninen, H., Riipinen, I., Vana, M., Dal Maso, M., Hussein, T., & Kulmala, M. (2008). Aerosol particle formation events and analysis of growth rates observed above a subarctic wetland-forest mosaic. *Tellus B - Chem. Phys. Meteorol.*, 60:353–364.
 89. Tammet, H. (1995). Size and mobility of nanometer particles, clusters and ions. *J. Aerosol Sci.*, 26:459–475.
 90. Tammet, H. (1998). Reduction of air ion mobility to standard conditions. *J. Geophys. Res.-Atmos.*, 103:13933–13937.
 91. Tammet, H. (2006). Continuous scanning of the mobility and size distribution of charged clusters and nanometer particles in atmospheric air and the Balanced Scanning Mobility Analyzer BSMA. *Atmos. Res.*, 82:523–535.
 92. Tammet, H. (2009). A joint dataset of fair-weather atmospheric electricity. *Atmos. Res.*, 91:194–200.
 93. Tammet, H. (2011). Symmetric inclined grid mobility analyzer for the measurement of charged clusters and fine nanoparticles in atmospheric air. *Aerosol Sci. Technol.*, 45:468–479.

94. Tammet, H. (2012). The function-updated Millikan model: a tool for nanometer particle size-mobility conversions. *Aerosol Sci. Technol.*, 46.
95. Tammet, H., Hörrak, U., & Kulmala, M. (2009). Negatively charged nanoparticles produced by splashing of water. *Atmos. Chem. Phys.*, 9:357–367.
96. Tammet, H., Hörrak, U., Laakso, L., & Kulmala, M. (2006). Factors of air ion balance in a coniferous forest according to measurements in Hyytiälä, Finland. *Atmos. Chem. Phys.*, 6:3377–3390.
97. Tammet, H., Israelsson, S., Knudsen, E., & Tuomi, T. J. (1996). Effective area of a horizontal long-wire antenna collecting the atmospheric electric vertical current. *J. Geophys. Res.-Atmos.*, 101:29671–29677.
98. Tammet, H., Kimmel, V., & Israelsson, S. (2001). Effect of atmospheric electricity on dry deposition of airborne particles from atmosphere. *Atmos. Environ.*, 35:3413–3419.
99. Tammet, H., & Kulmala, M. (2005). Simulation tool for atmospheric aerosol nucleation bursts. *J. Aerosol Sci.*, 36:173–196.
100. Tammet, H., & Kulmala, M. (2007). Simulating aerosol nucleation bursts in a coniferous forest. *Boreal Environ. Res.*, 12:421–430.
101. Tammet, H., Mirme, A., & Tamm, E. (2002). Electrical aerosol spectrometer of Tartu University. *Atmos. Res.*, 62:315–324.
102. Tiittanen, P., Timonen, K. L., Ruuskanen, J., Mirme, A., & Pekkanen, J. (1999). Fine particulate air pollution, resuspended road dust and respiratory health among symptomatic children. *Eur. Respir. J.*, 13:266–273.
103. Timonen, K. L., Hoek, G., Heinrich, J., Bernard, A., Brunekreef, B., de Hartog, J., Hameri, K., Ibald-Mulli, A., Mirme, A., Peters, A., Tiittanen, P., Kreyling, W. G., & Pekkanen, J. (2004). Daily variation in fine and ultrafine particulate air pollution and urinary concentrations of lung Clara cell protein CC16. *Occup. Environ. Med.*, 61:908–914.
104. Tuch, T., Mirme, A., Tamm, E., Heinrich, J., Heyder, J., Brand, P., Roth, C., Wichmann, H. E., Pekkanen, J., & Kreyling, W. G. (2000). Comparison of two particle-size spectrometers for ambient aerosol measurements. *Atmos. Environ.*, 34:139–149.
105. Uin, J., Tamm, E., & Mirme, A. (2009). Electrically Produced Standard Aerosols in a Wide Size Range. *Aerosol Sci. Technol.*, 43:847–853.
106. Uin, J., & Tamm, E. (2010). Assessment of the quality of electrically produced standard aerosols. *Aerosol Air Qual. Res.*, 10:609–615.
107. Uin, J., Tamm, E., & Mirme, A. (2011). Very Long DMA for the Generation of the Calibration Aerosols in Particle Diameter Range up to 10 μm by Electrical Separation. *Aerosol Air Qual. Res.*, 11:531–538.
108. Vallius, M. J., Ruuskanen, J., Mirme, A., & Pekkanen, J. (2000). Concentrations and estimated soot content of PM₁, PM_{2.5}, and PM₁₀ in a subarctic urban atmosphere.

Environ. Sci. Technol., 34:1919–1925.

109. Vana, M., Ehn, M., Petäjä, T., Vuollekoski, H., Aalto, P., de Leeuw, G., Ceburnis, D., O'Dowd, C., & Kulmala, M. (2008). Characteristic features of air ions at Mace Head on the west coast of Ireland. *Atmos. Res.*, 90:278–286.
110. Vana, M., Jennings, S. G., Kleefeld, C., Mirme, A., & Tamm, E. (2002). Small-particle concentration fluctuations at a coastal site. *Atmos. Res.*, 63:247–269.
111. Vana, M., Kulmala, M., Dal Maso, M., Hörrak, U., & Tamm, E. (2004). Comparative study of nucleation mode aerosol particles and intermediate air ions formation events at three sites. *J. Geophys. Res.-Atmos.*, 109:D7201.
112. Vana, M., & Tamm, E. (2002). Propagation of atmospheric aerosol and the area of representativeness of its measurements in the Baltic Sea region. *Atmos. Environ.*, 36:391–401.
113. Vana, M., Tamm, E., Hörrak, U., Mirme, A., Tammet, H., Laakso, L., Aalto, P. P., & Kulmala, M. (2006). Charging state of atmospheric nanoparticles during the nucleation burst events. *Atmos. Res.*, 82:536–546.
114. Vana, M., Tamm, E., & Viil, M. (1999). Experimental study of the air pollution transport by synchronised monitoring of atmospheric aerosols. *Atmos. Environ.*, 33:4615–4628.
115. Vehkamäki, H., Kulmala, M., Lehtinen, K. E. J., & Noppel, M. (2003). Modelling binary homogeneous nucleation of water-sulfuric acid vapours: Parameterisation for high temperature emissions. *Environ. Sci. Technol.*, 37:3392–3398.
116. Vehkamäki, H., Kulmala, M., Napari, I., Lehtinen, K. E. J., Timmreck, C., Noppel, M., & Laaksonen, A. (2002). An improved parameterization for sulfuric acid-water nucleation rates for tropospheric and stratospheric conditions. *J. Geophys. Res.-Atmos.*, 107:4622.
117. Vehkamäki, H., Napari, I., Kulmala, M., & Noppel, M. (2004). Stable ammonium bisulfate clusters in the atmosphere. *Phys. Rev. Lett.*, 93:148501.
118. Virkkula, A., Hirsikko, A., Vana, M., Aalto, P. P., Hillamo, R., & Kulmala, M. (2007). Charged particle size distributions and analysis of particle formation events at the Finnish Antarctic research station Aboa. *Boreal Environ. Res.*, 12:397–408.
119. Viskari, E. L., Surakka, J., Pasanen, P., Mirme, A., Kossi, S., Ruuskanen, J., & Holopainen, J. K. (2000). Responses of spruce seedlings (*Picea abies*) to exhaust gas under laboratory conditions - I - plant-insect interactions. *Environmental Pollution*, 107:89–98.
120. Vuollekoski, H., Kerminen, V. -M., Anttila, T., Sihto, S. -L., Vana, M., Ehn, M., Korhonen, H., McFiggans, G., O'Dowd, C. D., & Kulmala, M. (2009). Iodine dioxide nucleation simulations in coastal and remote marine environments. *J. Geophys. Res.-Atmos.*, 114:D206.
121. Winkler, P. M., Steinr, G., Vrtala, A., Vehkamäki, H., Noppel, M., Lehtinen, K. E. J., Reischl, G. P., Wagner, P. E., & Kulmala, M. (2008). Heterogeneous Nucleation Experiments Bridging the Scale from Molecular Ion Clusters to Nanoparticles.

Science, 319:1374–1377.

122. Yli-Juuti, T., Nieminen, T., Hirsikko, A., Aalto, P. P., Asmi, E., Hörrak, U., Manninen, H. E., Patokoski, J., Dal Maso, M., Petäjä, T., Rinne, J., Kulmala, M., & Riipinen, I. (2011). Growth rates of nucleation mode particles in Hyytiälä during 2003-2009: variation with particle size, season, data analysis method and ambient conditions. *Atmos. Chem. Phys.*, 11:12865–12886.