

Maapinna thermometer maks. 1939.

84th / 105
109

	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	-4.0	0.4	1.8	7.6	18.3	20.4	32.7	31.5	30.2	12.3	1.7	1.8
2	-3.1	-1.1	0.7	7.5	21.6	24.0	32.6	32.0	24.3	14.5	1.4	1.3
3	-4.4	-1.6	1.9	9.2	18.0	17.3	28.7	29.5	23.6	13.3	0.0	1.5
4	-2.8	0.2	6.2	4.0	18.9	23.5	29.8	31.8	19.5	12.5	1.0	2.9
5	0.4	2.0	3.8	3.5	26.5	24.5	31.4	35.0	27.7	8.1	3.0	2.4
6	-0.6	2.2	8.3	6.4	19.1	30.2	33.5	36.9	31.0	6.2	1.5	1.9
7	-2.1	4.9	2.3	12.0	19.6	30.9	34.9	36.6	26.9	3.9	8.0	2.0
8	-5.8	2.7	2.6	12.5	10.5	30.5	34.2	37.3	28.0	5.0	7.8	1.5
9	-7.1	3.6	1.5	16.8	20.3	21.2	29.5	35.5	26.5	10.8	9.3	0.2
10	-9.5	2.5	1.5	16.0	22.3	29.0	25.0	35.7	26.7	6.0	10.1	-1.6
11	-12.6	3.1	0.3	12.9	25.0	33.6	28.0	34.8	17.4	11.0	8.4	-3.7
12	-13.4	3.3	-1.3	9.6	20.2	33.5	27.1	36.9	21.4	10.4	7.3	-2.6
13	-5.1	3.8	6.4	11.2	21.3	35.8	26.5	37.4	20.5	8.9	6.0	0.0
14	0.9	-0.1	8.2	7.7	26.6	38.2	29.7	38.4	14.7	4.4	5.0	-0.8
15	1.0	1.4	4.3	17.7	26.4	34.6	33.0	37.8	18.9	5.0	5.9	-1.5
16	2.5	4.0	5.5	12.8	29.5	37.2	35.3	36.3	20.2	12.4	8.0	4.1
17	4.0	3.7	-0.1	8.0	29.1	39.0	38.0	30.5	18.5	7.7	7.1	0.6
18	3.4	1.7	-0.7	12.5	29.0	41.1	31.0	37.7	22.2	8.0	4.7	2.4
19	0.0	2.7	5.6	8.6	27.2	40.5	35.3	36.5	23.0	7.3	2.3	3.0
20	-1.1	1.3	-0.6	15.7	29.1	40.3	35.8	37.7	24.4	5.9	2.7	1.9
21	-4.0	1.3	2.3	9.4	24.5	42.9	36.9	33.8	23.2	5.4	1.6	-4.3
22	-0.5	3.3	7.5	16.5	27.5	35.0	33.5	35.0	18.5	6.3	1.0	-0.4
23	-0.5	4.4	4.5	13.3	21.8	23.0	22.8	36.9	14.7	4.6	-0.8	0.2
24	0.3	0.5	1.9	15.3	22.9	24.3	27.3	38.5	11.7	3.0	-2.1	-0.7
25	0.3	2.5	7.5	18.4	26.8	31.7	32.8	35.3	14.1	4.5	-1.3	-6.1
26	-1.5	3.7	3.0	22.9	13.7	25.1	31.6	32.6	12.8	6.8	-1.0	-3.4
27	-0.7	2.2	11.8	20.3	22.6	24.3	34.0	34.3	11.8	6.4	2.7	-3.5
28	-1.7	1.9	9.9	18.2	18.5	24.7	28.8	33.1	7.8	5.3	3.4	-1.9
29	-0.3		8.5	18.4	11.6	30.4	33.2	33.8	7.5	3.8	2.6	-3.3
30	0.2		5.4	20.5	22.5	31.0	24.0	32.5	10.0	4.1	2.1	-2.7
31	-3.2		7.0		27.5		33.6	32.8		3.4		-5.2

Kontrollausg. 1946. a.

Kaup	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	-10.1	-7.2	-4.5	-8.8	-0.1	4.3	10.7	14.5	10.6	-1.6	-2.2	-1.8
2	-7.4	-9.4	-8.2	-8.6	-3.4	0.6	14.8	11.7	5.5	-5.0	-3.0	-1.6
3	-8.2	-10.3	-5.0	-7.6	0.5	5.2	10.4	12.2	4.3	-6.1	-4.6	-1.7
4	-7.1	-5.7	-4.4	-6.2	-1.6	1.0	7.3	11.1	2.2	-5.3	-4.8	-1.2
5	-5.6	-2.2	-4.0	-1.3	-3.4	1.5	7.6	12.7	5.4	-5.1	-2.5	-1.0
6	-5.4	-2.0	-7.3	0.6	-2.3	5.7	7.8	14.1	8.5	-1.0	-2.9	-1.0
7	-8.2	-1.2	-2.1	-1.0	1.4	6.6	9.2	13.0	10.9	0.5	-1.0	-0.8
8	-12.7	-1.0	-1.0	-2.5	-3.0	4.2	11.8	10.5	8.2	0.8	2.9	-2.2
9	-16.8	-2.0	-2.4	-3.1	-4.0	4.4	10.6	11.1	10.6	-0.4	2.0	-6.5
10	-18.2	-1.5	-2.5	-3.6	-2.6	3.5	13.4	10.0	10.0	-0.5	5.6	-6.6
11	-20.7	-3.7	-6.0	-5.1	-1.8	7.5	11.9	6.6	5.5	-4.8	1.5	-8.4
12	-19.8	-1.1	-10.0	-3.9	-1.5	9.4	10.8	9.3	4.5	-6.6	1.4	-9.0
13	-15.8	-3.1	-11.1	-4.4	-2.4	8.4	10.4	10.0	1.2	-5.6	-0.6	-5.2
14	-7.0	-8.4	-6.9	-1.8	-0.4	12.7	8.6	9.7	0.3	-1.5	-2.3	-4.5
15	-2.5	-11.2	-9.0	0.2	2.8	11.3	10.5	11.3	8.6	-0.7	0.0	-4.6
16	-2.5	-0.5	-8.7	3.1	5.5	12.0	13.3	11.3	2.7	2.3	2.5	-4.0
17	0.2	-1.8	-7.7	1.5	7.2	11.8	14.0	14.1	0.6	1.8	-0.6	-3.4
18	-1.4	-2.8	-5.6	-1.5	1.9	13.7	15.4	12.5	0.6	-1.6	-1.1	-2.1
19	-5.8	-1.0	-6.4	-2.4	6.8	15.6	11.5	11.5	3.6	-4.1	-1.4	-0.5
20	-7.0	-1.1	-7.9	-1.6	9.5	12.9	10.8	12.3	0.2	-4.6	-1.5	-9.1
21	-10.3	-1.9	-7.8	1.0	7.5	11.1	12.4	11.3	1.6	-5.0	-4.3	-10.8
22	-8.3	-2.4	-8.6	-0.9	4.1	12.4	12.5	13.4	3.1	-5.2	-6.0	-7.5
23	-4.0	-2.0	-8.6	-1.0	5.0	10.0	14.8	12.3	-2.0	-3.6	-7.5	-8.4
24	-3.8	-4.8	-2.9	0.1	9.6	7.2	15.2	11.6	-1.8	-1.0	-8.8	-10.9
25	-3.6	-5.3	-2.1	-2.0	4.5	8.3	12.2	11.5	-3.5	-1.0	-9.4	-14.2
26	-4.9	-4.5	-4.6	0.6	8.2	14.2	12.4	12.6	-4.1	-0.5	-5.4	-12.0
27	-5.0	-1.5	-0.7	-0.4	7.5	11.8	13.1	10.5	-1.8	-0.6	-8.6	-14.0
28	-5.4	-2.1	-2.7	-0.7	8.0	8.7	15.2	9.4	-3.2	1.2	-1.2	-13.0
29	-5.6		-4.2	-3.4	5.3	7.6	11.7	10.5	-4.4	-1.3	-1.6	-12.4
30	-9.6		-4.9	-2.5	1.8	9.9	11.3	12.1	0.1	-0.9	-2.0	-15.5
31	-12.3		-6.4		2.9		13.0	11.5		-1.8		-16.6

Kontrollaus
vähän

Pohja

Maximum temperature January 1939

Koutava Lad
J. 0.01

111

	0.50			1.00			2.00			3.00	5.00
	7h	13h	21h	7h	13h	21h	7h	13h	21h	13h	13h
1	-2.3	-2.3	-2.2	0.9	0.9	0.9	5.3	5.3	5.3	6.9	8.3
2	-2.1	-1.9	-1.9	0.8	0.9	0.8	5.2	5.2	5.1	6.8	8.3
3	-1.8	-1.8	-1.8	0.8	0.8	0.8	5.1	5.1	5.1	6.8	8.2
4	-1.7	-1.7	-1.6	0.8	0.8	0.8	5.1	5.0	5.0	6.8	8.2
5	-1.5	-1.4	-1.3	0.8	0.8	0.8	5.0	4.9	4.9	6.6	8.2
6	-1.2	-1.1	-1.0	0.8	0.8	0.8	4.8	4.8	4.7	6.5	8.2
7	-0.9	-1.0	-0.9	0.8	0.8	0.8	4.7	4.8	4.8	6.4	8.2
8	-1.0	-1.0	-1.2	0.8	0.8	0.8	4.8	4.7	4.7	6.3	8.2
9	-1.3	-1.4	-1.6	0.8	0.8	0.7	4.7	4.6	4.6	6.3	8.1
10	-1.7	-1.9	-2.1	0.7	0.7	0.7	4.6	4.6	4.5	6.2	8.0
11	-2.4	-2.7	-2.8	0.7	0.7	0.6	4.5	4.5	4.5	6.1	8.0
12	-3.1	-3.3	-3.4	0.6	0.6	0.5	4.4	4.4	4.4	6.0	7.9
13	-3.4	-3.4	-3.2	0.5	0.5	0.5	4.4	4.4	4.3	6.0	7.9
14	-2.8	-2.6	-2.2	0.3	0.3	0.4	4.3	4.3	4.3	5.9	7.8
15	-1.8	-1.6	-1.8	0.3	0.4	0.4	4.2	4.3	4.2	5.8	7.8
16	-1.1	-1.0	-0.8	0.4	0.4	0.4	4.2	4.2	4.2	5.7	7.8
17	-0.7	-0.6	-0.5	0.4	0.4	0.4	4.2	4.1	4.1	5.6	7.7
18	-0.3	-0.2	-0.2	0.4	0.4	0.4	4.1	4.1	4.1	5.5	7.6
19	-0.1	-0.1	-0.1	0.5	0.5	0.5	4.0	4.0	4.0	5.3	7.6
20	-0.1	-0.1	-0.1	0.5	0.5	0.5	4.0	4.0	4.0	5.3	7.6
21	-0.1	-0.1	-0.2	0.5	0.5	0.5	3.9	3.9	3.9	5.2	7.5
22	-0.3	-0.4	-0.5	0.6	0.5	0.5	3.9	3.9	3.9	5.1	7.5
23	-0.5	-0.6	-0.5	0.6	0.6	0.6	3.8	3.9	3.9	5.0	7.4
24	-0.5	-0.5	-0.4	0.6	0.6	0.5	3.8	3.8	3.8	5.1	7.5
25	-0.4	-0.4	-0.3	0.5	0.6	0.5	3.8	3.8	3.8	5.1	7.4
26	-0.4	-0.4	-0.5	0.4	0.5	0.5	3.7	3.7	3.7	4.9	7.3
27	-0.5	-0.6	-0.6	0.5	0.6	0.6	3.6	3.6	3.7	4.9	7.3
28	-0.7	-0.6	-0.7	0.6	0.6	0.6	3.7	3.7	3.7	4.9	7.3
29	-0.8	-0.8	-0.9	0.6	0.6	0.6	3.6	3.6	3.6	4.8	7.3
30	-0.8	-0.7	-0.9	0.6	0.6	0.6	3.6	3.6	3.6	4.8	7.2
31	-1.4 _v	-1.6 _v	-1.7 _v	0.6 _v	0.6 _v	0.6 _v	3.6 _v	3.6 _v	3.6 _v	4.6 _v	7.2 _v
S	-37.7 _v	-37.8 _v	-37.9 _v	18.7 _v	19.1 _v	18.6 _v	132.6 _v	132.4 _v	132.0 _v	127.2 _v	240.5 _v
K	-1.22 _v	-1.22 _v	-1.22 _v	0.60 _v	0.62 _v	0.60 _v	4.28 _v	4.27 _v	4.26 _v	5.72 _v	7.76 _v

Koutava Lad 1939

Edg. G. v. a.

Maa temperatuur

Vebruar 1939

	0.50			1.00			2.00			3.00	5.00
	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	13 ^h	13 ^h
1	-1.8	-1.7	-1.3	0.6	0.6	0.6	3.5	3.5	3.5	4.5	7.2
2	-1.1	-1.1	-1.3	0.6	0.5	0.5	3.5	3.5	3.5	4.6	7.2
3	-1.7	-1.9	-1.9	0.5	0.5	0.5	3.5	3.5	3.5	4.6	7.2
4	-1.7	-1.6	-1.3	0.5	0.5	0.5	3.5	3.4	3.4	4.5	7.1
5	-1.1	-1.0	-0.8	0.5	0.5	0.4	3.4	3.4	3.4	4.5	7.1
6	-0.7	-0.6	-0.5	0.4	0.5	0.4	3.4	3.4	3.4	4.4	7.1
7	-0.4	-0.4	-0.4	0.4	0.4	0.3	3.4	3.4	3.3	4.4	7.0
8	-0.3	-0.3	-0.2	0.4	0.5	0.5	3.3	3.3	3.3	4.4	6.9
9	-0.2	-0.2	-0.2	0.4	0.5	0.5	3.3	3.3	3.3	4.4	6.8
10	-0.2	-0.2	-0.2	0.5	0.5	0.4	3.3	3.3	3.3	4.3	6.8
11	-0.1	-0.1	-0.2	0.5	0.5	0.5	3.3	3.3	3.3	4.3	6.8
12	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.3	3.3	3.2	4.2	6.7
13	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.2	3.2	3.2	4.0	6.6
14	-0.1	-0.1	-0.1	0.8	0.7	0.6	3.2	3.2	3.2	4.0	6.6
15	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.2	3.2	3.2	4.0	6.6
16	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.2	3.2	3.2	4.0	6.6
17	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.2	3.2	3.2	4.0	6.6
18	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.1	3.1	3.1	3.9	6.5
19	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.1	3.1	3.1	3.9	6.5
20	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.1	3.1	3.1	3.9	6.5
21	-0.1	0.0	-0.1	0.5	0.5	0.5	3.1	3.1	3.1	3.9	6.5
22	-0.1	-0.1	-0.1	0.5	0.5	0.5	3.1	3.1	3.0	3.8	6.4
23	0.0	0.0	-0.1	0.5	0.5	0.5	3.0	3.0	3.0	3.8	6.4
24	0.0	-0.1	-0.1	0.5	0.5	0.5	3.0	3.0	3.0	3.8	6.4
25	-0.1	-0.1	-0.2	0.5	0.5	0.5	3.0	3.0	3.0	3.7	6.3
26	-0.4	-0.4	-0.3	0.5	0.5	0.5	3.0	3.0	3.0	3.7	6.3
27	-0.2	-0.2	-0.2	0.5	0.5	0.5	3.0	3.0	2.9	3.7	6.3
28	-0.2	-0.1	-0.1	0.5	0.6	0.6	2.9	3.0	3.0	3.7	6.3
S	✓ -11.3	✓ -11.0	✓ -10.4	✓ 14.1	✓ 14.3	✓ 13.8	✓ 90.1	✓ 90.1	✓ 89.7	✓ 114.9	✓ 187.3
K	-0.40	-0.39	-0.37	0.50	0.51	0.49	3.22	3.22	3.20	4.10	6.69

Max. 4.9

7. II

Min. -11.2

15. II

Kontroll. Hugo Kth

Kontroll. Hugo Kth

Maximum temperature March 1939

Krank. Sluys 113

	0.50			1.00			2.00			3.00	5.00
	7h	13h	21h	7h	13h	21h	7h	13h	21h	13h	13h
1	-0.1	-0.1	-0.1	0.6	0.6	0.6	3.0	3.0	3.0	3.7	6.3
2	-0.1	-0.1	-0.2	0.6	0.6	0.6	3.0	3.0	3.0	3.7	6.2
3	-0.3	-0.3	-0.3	0.6	0.6	0.6	3.0	3.0	3.0	3.6	6.2
4	-0.2	-0.3	-0.3	0.6	0.6	0.6	2.9	2.9	2.9	3.6	6.2
5	-0.2	-0.2	-0.2	0.6	0.6	0.6	2.9	2.9	2.9	3.6	6.2
6	-0.2	-0.4	-0.4	0.6	0.6	0.6	2.9	2.9	2.9	3.5	6.1
7	-0.3	-0.3	-0.2	0.5	0.6	0.6	2.9	2.9	2.9	3.5	6.1
8	-0.2	-0.1	-0.1	0.6	0.6	0.6	2.9	2.9	2.9	3.5	6.1
9	-0.1	-0.1	-0.1	0.6	0.6	0.6	2.9	2.9	2.8	3.4	6.0
10	-0.1	-0.1	-0.1	0.5	0.5	0.6	2.8	2.9	2.8	3.4	6.0
11	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.8	2.8	2.8	3.4	6.0
12	-0.2	-0.4	-0.4	0.6	0.6	0.6	2.8	2.8	2.8	3.4	5.9
13	-0.8	-0.7	-0.9	0.6	0.6	0.5	2.8	2.8	2.8	3.4	5.9
14	-0.9	-0.9	-0.7	0.6	0.6	0.6	2.8	2.8	2.8	3.4	5.9
15	-0.8	-1.0	-0.8	0.6	0.6	0.6	2.8	2.8	2.8	3.4	5.8
16	-1.0	-1.2	-0.9	0.6	0.6	0.6	2.8	2.8	2.8	3.3	5.8
17	-1.0	-1.1	-0.9	0.6	0.6	0.5	2.8	2.8	2.8	3.3	5.8
18	-0.8	-0.8	-0.8	0.5	0.5	0.5	2.8	2.8	2.8	3.3	5.8
19	-0.8	-0.9	-0.8	0.5	0.5	0.5	2.8	2.8	2.8	3.3	5.8
20	-0.9	-0.8	-0.7	0.5	0.5	0.5	2.8	2.8	2.8	3.3	5.8
21	-0.8	-0.8	-0.7	0.5	0.5	0.5	2.7	2.7	2.7	3.3	5.7
22	-0.8	-0.7	-0.5	0.5	0.5	0.5	2.7	2.7	2.7	3.3	5.7
23	-0.6	-0.6	-0.6	0.5	0.4	0.4	2.7	2.7	2.7	3.3	5.7
24	-0.4	-0.4	-0.3	0.5	0.5	0.5	2.7	2.7	2.7	3.3	5.7
25	-0.3	-0.3	-0.2	0.5	0.5	0.5	2.7	2.7	2.7	3.3	5.7
26	-0.3	-0.2	-0.2	0.4	0.4	0.4	2.7	2.7	2.7	3.3	5.7
27	-0.2	-0.1	-0.1	0.5	0.4	0.4	2.7	2.6	2.6	3.3	5.7
28	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.7	2.7	2.7	3.3	5.7
29	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.7	2.7	2.7	3.3	5.7
30	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.7	2.7	2.7	3.3	5.7
31	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.7	2.6	2.6	3.2	5.6
5	-12.9	-13.4	-12.0	16.8	16.7	16.6	86.9	86.8	86.6	105.2	182.5
10	-0.42	-0.43	-0.39	0.54	0.54	0.54	2.72	2.71	2.71	3.39	5.89

Maatemperatuur

April 1939.

114

26

	0.50			1.00			2.00			3.00	5.00
	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	13 ^h	13 ^h
1	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.6	2.6	2.6	3.2	5.6
2	-0.3	-0.4	-0.4	0.5	0.5	0.5	2.6	2.6	2.6	3.2	5.6
3	-0.6	-0.6	-0.5	0.5	0.5	0.5	2.6	2.6	2.6	3.2	5.6
4	-0.5	-0.6	-0.5	0.5	0.5	0.5	2.6	2.6	2.6	3.2	5.5
5	-0.4	-0.4	-0.3	0.5	0.5	0.5	2.6	2.6	2.6	3.2	5.5
6	-0.3	-0.2	-0.2	0.5	0.5	0.5	2.6	2.6	2.6	3.2	5.5
7	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.6	2.6	2.6	3.2	5.5
8	-0.1	-0.1	-0.1	0.5	0.5	0.5	2.6	2.5	2.5	3.2	5.4
9	-0.1	-0.1	0.0	0.5	0.5	0.5	2.5	2.5	2.5	3.2	5.4
10	0.0	0.0	0.0	0.5	0.5	0.5	2.5	2.5	2.5	3.2	5.5
11	0.0	0.0	0.0	0.5	0.5	0.5	2.5	2.5	2.5	3.1	5.4
12	0.0	0.0	0.0	0.5	0.5	0.5	2.5	2.5	2.5	3.1	5.4
13	0.0	0.0	0.0	0.5	0.5	0.5	2.5	2.5	2.5	3.1	5.4
14	0.0	0.0	0.0	0.5	0.5	0.5	2.5	2.5	2.5	3.1	5.4
15	0.0	0.1	0.2	0.5	0.5	0.5	2.5	2.5	2.5	3.1	5.4
16	0.2	0.2	0.3	0.5	0.5	0.5	2.5	2.5	2.5	3.1	5.4
17	0.2	0.3	0.3	0.5	0.5	0.5	2.5	2.5	2.5	3.1	5.4
18	0.1	0.2	0.4	0.5	0.5	0.5	2.5	2.5	2.5	3.0	5.4
19	0.1	0.1	0.3	0.5	0.5	0.5	2.5	2.5	2.5	3.0	5.3
20	0.1	0.2	0.6	0.5	0.5	0.5	2.5	2.5	2.5	3.0	5.3
21	0.4	0.4	0.5	0.5	0.5	0.5	2.5	2.5	2.5	3.0	5.3
22	0.3	0.3	0.6	0.5	0.5	0.5	2.5	2.5	2.4	3.0	5.3
23	0.4	0.4	0.2	0.5	0.5	0.5	2.4	2.4	2.4	3.0	5.3
24	0.7	0.7	0.5	0.5	0.5	0.5	2.5	2.4	2.4	3.0	5.2
25	0.6	0.5	1.1	0.5	0.5	0.5	2.4	2.4	2.4	3.0	5.2
26	1.3	1.1	1.8	0.5	0.5	0.5	2.4	2.4	2.4	3.0	5.2
27	1.6	1.4	2.0	0.5	0.5	0.6	2.4	2.4	2.4	3.0	5.2
28	1.9	1.7	2.2	0.6	0.7	0.8	2.4	2.4	2.4	2.9	5.2
29	2.0	1.7	2.5	1.0	1.1	1.1	2.4	2.4	2.4	2.9	5.2
30	2.1	2.0	2.7	1.2	1.3	1.4	2.4	2.4	2.4	2.9	5.2

$\sum$ 9.5[✓] 8.7[✓] 14.0[✓] 16.3[✓] 16.6[✓] 16.9[✓] 75.1[✓] 74.9[✓] 74.8[✓] 92.4[✓] 161.2[✓]
 Σ 0.32[✓] 0.29[✓] 0.45[✓] 0.54[✓] 0.55[✓] 0.56[✓] 2.50[✓] 2.50[✓] 2.49[✓] 3.08[✓] 5.37[✓]

Max. 22.9

26. IV

Min. - 8.8

1. IV

Kont.

Leugo etc

Maateupere ture

Kronds Jergo 115

May 1939

	0.50			1.00			2.00			3.00	5.00
	7h	13h	21h	7h	13h	21h	7h	13h	21h	13h	13h
1	3.2	3.0	3.5	1.6	1.7	1.8	2.5	2.5	2.5	2.9	5.2
2	3.1	2.7	4.3	2.0	2.1	2.1	2.6	2.6	2.6	2.9	5.1
3	3.3	3.2	3.6	2.2	2.3	2.4	2.6	2.6	2.7	2.9	5.2
4	3.3	3.1	3.8	2.5	2.6	2.6	2.7	2.8	2.8	2.9	5.1
5	3.5	3.2	4.0	2.7	2.7	2.8	2.7	2.9	2.9	2.9	5.1
6	3.8	3.5	4.2	2.8	2.9	2.9	2.9	2.9	2.9	2.9	5.1
7	4.3	4.2	4.8	3.0	3.1	3.2	3.0	3.0	3.0	3.0	5.1
8	4.5	4.2	4.3	3.3	3.4	3.5	3.1	3.1	3.2	3.0	5.1
9	3.8	3.5	4.0	3.5	3.5	3.4	3.2	3.3	3.3	3.0	5.1
10	4.0	3.7	4.6	3.4	3.5	3.4	3.3	3.3	3.3	3.1	5.1
11	4.6	4.4	5.1	3.5	3.6	3.6	3.4	3.4	3.4	3.1	5.0
12	5.1	4.7	5.4	3.7	3.8	3.9	3.5	3.5	3.5	3.2	5.1
13	5.2	4.7	5.6	3.9	4.0	4.1	3.6	3.6	3.6	3.2	5.1
14	5.8	5.6	6.3	4.1	4.2	4.3	3.6	3.6	3.7	3.3	5.1
15	6.4	6.3	7.3	4.4	4.5	4.6	3.7	3.7	3.7	3.3	5.0
16	7.8	7.5	8.3	4.8	4.8	4.9	3.8	3.7	3.8	3.4	5.0
17	8.6	8.4	9.0	4.3	5.4	5.6	3.8	3.8	3.9	3.4	5.0
18	8.9	8.3	9.1	5.7	5.9	6.0	4.0	3.9	4.1	3.5	4.9
19	9.7	9.6	10.2	6.4	6.4	6.4	4.1	4.2	4.3	3.5	5.0
20	10.5	10.2	10.4	6.5	6.6	6.7	4.3	4.3	4.4	3.5	5.0
21	10.6	10.4	10.7	7.0	7.1	7.2	4.4	4.6	4.5	3.6	5.0
22	10.4	10.0	10.8	7.3	7.4	7.4	4.6	4.6	4.7	3.6	5.0
23	10.4	10.2	10.5	7.5	7.6	7.7	4.8	4.8	4.9	3.8	5.0
24	10.4	10.2	10.9	7.7	7.7	7.8	5.0	5.0	5.1	3.9	5.0
25	10.4	10.0	10.7	7.9	7.9	7.9	5.2	5.2	5.3	4.0	5.1
26	10.9	10.6	10.6	8.0	8.0	8.3	5.3	5.3	5.3	4.0	5.1
27	10.3	10.1	10.6	8.2	8.1	8.1	5.4	5.5	5.5	4.1	5.1
28	10.7	10.5	11.0	8.2	8.2	8.3	5.6	5.6	5.6	4.2	5.1
29	10.6	10.4	10.2	8.3	8.3	8.4	5.7	5.7	5.8	4.3	5.1
30	9.6	9.2	9.8	8.3	8.3	8.2	5.9	5.9	5.9	4.4	5.1
31	9.8	9.4	11.0	8.2	8.1	8.1	5.8	6.0	6.0	4.5	5.1
S	223.5	215.0	234.6	160.9	163.7	165.6	124.1	124.9	126.2	107.3	157.1
10	7.18	6.94	7.57	5.19	5.28	5.34	4.00	4.03	4.07	3.46	5.07

Kronds 1940.0

11. 2. 1940.0

claa temperature Juni 1939.

	0.50			1.00			2.00			3.00	5.00
	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	13 ^h	13 ^h
1	10.6	10.2	10.4	8.2	8.2	8.3	6.1	6.1	6.1	4.6	5.1
2	9.6	9.1	9.7	8.3	8.3	8.2	6.2	6.2	6.2	4.7	5.1
3	9.6	9.5	9.9	8.2	8.2	8.2	6.3	6.2	6.3	4.8	5.2
4	9.4	9.1	9.6	8.2	8.2	8.2	6.3	6.3	6.4	4.9	5.2
5	9.4	9.1	10.0	8.1	8.2	8.1	6.4	6.4	6.4	5.0	5.3
6	9.9	9.6	10.6	8.2	8.2	8.2	6.5	6.4	6.5	5.1	5.3
7	10.9	10.9	11.8	8.4	8.4	8.5	6.5	6.5	6.6	5.2	5.4
8	12.1	11.6	12.3	8.7	8.9	9.0	6.6	6.6	6.6	5.3	5.4
9	12.2	11.9	12.0	9.1	9.2	9.2	6.7	6.7	6.7	5.3	5.4
10	11.5	11.0	11.9	9.4	9.4	9.3	6.8	6.8	6.8	5.4	5.4
11	11.9	11.5	12.6	9.4	9.4	9.4	6.9	6.9	7.0	5.5	5.5
12	12.9	12.7	13.6	9.6	9.6	9.7	7.2	7.0	7.0	5.5	5.5
13	13.7	13.5	14.7	9.9	10.1	10.3	7.1	7.0	7.1	5.6	5.5
14	14.9	14.6	16.4	10.2	10.5	10.7	7.2	7.1	7.2	5.7	5.6
15	15.7	15.4	16.2	10.9	11.1	11.2	7.3	7.3	7.4	5.7	5.6
16	16.4	16.4	16.9	11.4	11.6	11.7	7.5	7.5	7.5	5.7	5.6
17	17.2	14.6	18.5	11.9	12.1	12.2	7.6	7.6	7.7	5.8	5.7
18	17.6	17.3	18.5	12.6	12.5	12.6	7.7	7.7	7.9	5.9	5.7
19	18.3	18.2	19.0	12.1	13.0	12.1	8.0	8.0	8.1	6.1	5.7
20	19.3	18.3	19.2	13.5	13.5	13.6	8.2	8.2	8.3	6.3	5.8
21	18.8	18.5	19.3	13.8	13.9	13.9	8.4	8.4	8.5	6.3	5.8
22	19.1	18.8	18.6	14.0	14.1	14.2	8.6	8.7	8.8	6.4	5.8
23	17.5	16.5	16.4	14.2	14.3	14.2	8.8	8.9	9.0	6.6	5.8
24	15.7	15.1	15.1	14.0	13.9	13.6	9.1	9.1	9.2	6.7	5.9
25	14.8	14.5	15.2	13.5	13.6	13.3	9.2	9.3	9.3	6.8	5.9
26	15.6	15.4	15.6	13.1	13.2	13.1	9.4	9.4	9.4	6.9	5.9
27	15.4	15.2	15.9	13.2	13.1	13.1	9.5	9.5	9.5	7.1	6.0
28	15.1	14.7	14.9	13.1	13.1	13.1	9.5	9.6	9.6	7.2	6.0
29	14.5	14.0	14.8	13.0	13.0	12.9	9.6	9.6	9.6	7.3	6.1
30	14.7	14.7	15.5	12.9	12.8	12.8	9.7	9.6	9.7	7.4	6.1
S	424.3	411.9	435.1	331.1	333.6	332.9	230.9	230.6	232.4	176.8	168.3
K	14.14	13.73	14.50	11.04	11.16	11.10	7.40	7.69	7.75	5.89	5.61

Kontrollierte Werte

best. L. O. H.

Mass temperature June 1939

117

	0.50			1.00			2.00			3.00	5.00
	7h	13h	21h	7h	13h	21h	7h	13h	21h	13h	13h
1	15.4	15.6	16.6	12.9	12.9	13.0	9.7	9.7	9.7	7.5	7.2
2	16.3	16.2	16.4	13.1	13.1	13.2	9.8	9.7	9.8	7.6	6.7
3	16.1	15.8	15.9	13.3	13.3	13.3	9.9	9.9	9.9	7.7	6.3
4	15.4	15.0	15.6	13.4	13.6	13.3	10.0	9.9	10.0	7.8	6.3
5	14.9	14.4	15.4	13.3	13.2	13.2	10.0	10.0	10.1	7.9	6.4
6	14.9	14.5	16.2	13.1	13.1	13.1	10.1	10.1	10.1	8.0	6.4
7	15.6	15.4	16.6	13.2	13.2	13.2	10.2	10.2	10.2	8.1	6.5
8	16.6	16.7	17.0	13.4	13.5	13.5	10.2	10.2	10.3	8.1	6.5
9	16.8	16.6	16.8	13.7	13.9	13.9	10.3	10.3	10.3	8.2	6.7
10	16.9	16.8	16.7	13.8	13.8	13.9	10.4	10.4	10.4	8.3	6.6
11	16.2	15.9	16.1	14.0	14.0	14.0	10.4	10.5	10.5	8.4	6.7
12	15.6	15.4	16.0	13.9	13.9	13.8	10.5	10.6	10.6	8.5	6.7
13	15.4	15.2	15.6	13.8	13.8	13.7	10.6	10.6	10.7	8.6	6.7
14	15.2	14.9	15.5	13.7	13.7	13.8	10.7	10.7	10.7	8.6	6.8
15	15.4	15.4	15.9	13.6	13.6	13.6	10.8	10.8	10.8	8.7	6.9
16	16.0	16.0	17.4	13.7	13.7	13.8	10.8	10.8	10.9	8.8	6.9
17	17.0	16.9	17.8	13.9	14.0	14.1	10.9	10.8	10.9	8.9	6.9
18	18.1	17.9	18.3	14.3	14.4	14.5	10.9	10.9	11.0	8.9	7.0
19	17.9	17.5	18.3	14.7	14.7	14.8	11.0	11.0	11.1	9.0	7.0
20	17.8	17.3	18.0	14.9	14.9	14.8	11.1	11.1	11.2	9.1	7.1
21	17.8	17.5	18.1	14.8	14.9	14.9	11.2	11.2	11.2	9.1	7.1
22	17.8	17.7	17.6	15.0	15.0	15.1	11.3	11.3	11.4	9.2	7.2
23	17.3	17.1	17.1	15.1	15.0	15.0	11.4	11.4	11.4	9.3	7.2
24	17.0	16.9	17.2	15.0	15.0	14.9	11.5	11.5	11.5	9.4	7.3
25	17.2	16.8	17.4	14.9	15.0	14.9	11.6	11.6	11.6	9.4	7.4
26	17.3	17.0	17.6	15.0	14.9	15.0	11.6	11.6	11.7	9.5	7.4
27	17.5	17.2	17.8	15.0	15.1	15.1	11.7	11.7	11.8	9.6	7.4
28	17.9	18.0	18.3	15.1	15.2	15.2	11.8	11.8	11.8	9.6	7.4
29	17.6	17.2	17.8	15.3	15.3	15.3	11.9	11.8	11.9	9.7	7.5
30	17.5	17.2	17.6	15.3	15.4	15.3	11.9	11.9	12.0	9.8	7.6
31	17.1	16.9	17.7	15.3	15.3	15.2	12.0	12.0	12.0	9.9	7.6
32	16.6	16.3	16.4	14.18	14.19	13.74	10.84	10.84	10.56	8.75	6.95
33	16.98	16.98	16.98	14.20	14.20	14.20	10.84	10.84	10.84	8.75	6.95

Maattemperatuur

August 1939.

Konts.: Dings 6.11.39

118
166

	0.50			1.00			2.00			3.00	5.00
	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	13 ^h	13 ^h
1	17.9	18.0	18.1	15.3	15.3	15.4	12.1	12.1	12.1	9.9	7.6
2	17.5	17.1	17.7	15.4	15.4	15.4	12.1	12.1	12.2	10.0	7.7
3	17.2	16.8	17.1	15.4	15.4	15.3	12.2	12.2	12.2	10.1	7.7
4	16.9	16.6	17.4	15.3	15.3	15.2	12.2	12.2	12.3	10.1	7.8
5	17.1	16.8	17.5	15.3	15.3	15.3	12.3	12.3	12.3	10.2	7.8
6	17.6	17.4	18.0	15.3	15.4	15.4	12.4	12.4	12.4	10.3	7.8
7	18.1	17.8	18.4	15.4	15.3	15.6	12.4	12.4	12.5	10.3	7.9
8	18.2	17.8	18.4	15.6	15.7	15.7	12.5	12.5	12.5	10.4	8.0
9	18.2	17.8	18.3	15.8	15.8	15.8	12.5	12.5	12.6	10.5	8.0
10	17.9	17.5	18.0	15.8	15.8	15.8	12.6	12.6	12.6	10.5	8.0
11	17.8	17.2	17.5	15.8	15.8	15.8	12.7	12.7	12.7	10.6	8.1
12	17.4	17.0	17.5	15.8	15.7	15.7	12.7	12.7	12.7	10.6	8.1
13	17.5	17.1	17.7	15.7	15.7	15.7	12.8	12.8	12.8	10.7	8.2
14	17.6	17.2	17.9	15.7	15.7	15.7	12.8	12.8	12.8	10.8	8.2
15	17.8	17.4	18.1	15.7	15.7	15.8	12.9	12.9	12.8	10.8	8.2
16	17.8	17.6	18.2	15.8	15.8	15.8	12.9	12.9	12.9	10.9	8.3
17	18.3	18.1	18.1	15.8	15.9	15.9	12.9	12.9	12.9	10.9	8.3
18	17.9	17.6	18.0	15.9	16.0	15.9	13.0	13.0	13.0	11.0	8.3
19	17.9	17.6	18.2	15.9	16.0	15.9	13.0	13.0	13.0	11.1	8.4
20	18.1	17.7	18.1	15.9	16.0	16.0	13.1	13.1	13.1	11.1	8.5
21	17.7	17.3	17.8	16.0	16.0	16.0	13.1	13.1	13.1	11.1	8.4
22	17.8	17.5	18.0	16.0	16.0	16.0	13.2	13.2	13.2	11.2	8.5
23	18.0	17.6	18.2	16.0	16.0	16.0	13.2	13.2	13.2	11.2	8.5
24	18.3	17.9	18.4	16.1	16.1	16.1	13.3	13.2	13.3	11.3	8.6
25	18.4	18.2	18.6	16.2	16.2	16.2	13.3	13.3	13.3	11.3	8.6
26	18.6	18.2	18.5	16.3	16.3	16.4	13.4	13.4	13.4	11.4	8.7
27	18.3	17.9	18.2	16.3	16.4	16.3	13.4	13.4	13.4	11.4	8.7
28	18.0	17.6	18.0	16.3	16.3	16.3	13.4	13.4	13.4	11.5	8.7
29	17.8	17.5	18.0	16.2	16.2	16.2	13.5	13.5	13.5	11.5	8.8
30	18.2	17.9	18.4	16.2	16.2	16.2	13.5	13.5	13.5	11.5	8.8
31	17.9	17.4	17.7	16.2	16.2	16.2	13.5	13.5	13.5	11.6	8.9
S	553.7	543.1	558.0	490.4	490.9	491.0	398.9	398.8	399.2	335.8	256.1
K	17.86	17.52	18.00	15.82	15.84	15.84	12.87	12.86	12.88	10.83	8.26

Maate mperatuur September 1939

Konts. Sõuga 19

	0.50			1.00			2.00			3.00	5.00
	7 h	13 h	21 h	7 h	13 h	21 h	7 h	13 h	21 h	13 h	13 h
1	12.6	17.3	15.5	16.2	16.1	16.1	13.6	13.6	13.6	11.6	8.9
2	17.1	16.2	16.6	16.1	16.1	16.0	13.6	13.6	13.6	11.7	8.9
3	15.8	15.2	15.1	15.9	15.8	15.6	13.7	13.7	13.7	11.7	9.0
4	14.7	14.0	14.1	15.5	15.4	15.2	13.8	13.7	13.6	11.7	9.0
5	13.9	13.8	14.3	15.0	14.9	14.7	13.7	13.7	13.6	11.8	9.1
6	14.3	14.3	14.8	14.7	14.7	14.5	13.6	13.6	13.6	11.9	9.1
7	14.8	14.7	15.0	14.5	14.5	14.5	13.6	13.6	13.5	11.9	9.1
8	15.0	14.7	15.0	14.5	14.5	14.5	13.5	13.5	13.5	11.9	9.2
9	14.9	14.9	15.3	14.5	14.5	14.5	13.5	13.5	13.4	11.9	9.2
10	15.4	15.2	15.2	14.5	14.6	14.6	13.4	13.4	13.4	12.0	9.2
11	14.7	14.4	14.2	14.5	14.6	14.5	13.4	13.4	13.4	11.9	9.2
12	13.8	13.4	13.1	14.4	14.3	14.2	13.4	13.4	13.3	12.0	9.3
13	12.7	12.1	12.2	14.0	13.9	13.8	13.4	13.3	13.3	12.0	9.3
14	11.8	11.0	11.4	13.6	13.5	13.3	13.3	13.3	13.2	12.0	9.3
15	11.7	11.7	12.2	13.1	13.0	13.0	13.3	13.2	13.2	12.0	9.4
16	12.5	12.3	12.3	12.8	12.9	12.9	13.2	13.1	13.1	12.0	9.4
17	11.7	11.0	12.4	12.9	12.8	12.7	13.1	13.0	13.0	12.0	9.4
18	11.2	10.5	11.2	12.6	12.6	12.4	13.0	13.0	12.9	12.0	9.4
19	11.2	11.0	11.2	12.4	12.4	12.3	12.9	12.9	12.9	12.0	9.4
20	11.0	10.6	10.9	12.3	12.2	12.1	12.9	12.8	12.8	12.0	9.5
21	10.8	10.5	10.9	12.1	12.0	12.0	12.8	12.7	12.7	12.0	9.5
22	11.2	11.0	11.2	11.9	11.9	11.9	12.7	12.6	12.6	11.9	9.5
23	10.8	10.3	10.1	11.9	11.9	11.8	12.6	12.6	12.5	11.9	9.6
24	9.7	9.5	9.2	11.7	11.6	11.5	12.5	12.5	12.4	11.9	9.6
25	8.7	8.2	8.1	11.4	11.3	11.2	12.4	12.4	12.3	11.8	9.6
26	7.8	7.4	7.6	10.9	10.7	10.5	12.3	12.3	12.2	11.8	9.6
27	7.3	7.1	7.0	10.4	10.3	10.1	11.5	12.2	12.1	11.7	9.6
28	7.0	6.8	6.8	10.0	9.9	9.8	12.1	12.1	12.0	11.7	9.7
29	6.3	5.9	5.9	9.7	9.5	9.4	12.0	11.9	11.9	11.7	9.6
30	6.2	6.2	6.6	9.3	9.2	9.1	11.8	11.8	11.7	11.6	9.6
S	361.6	351.7	355.4	393.3	391.6	388.7	390.6	390.4	389.0	356.0	280.2
K	12.05	11.72	11.85	13.31	13.05	12.96	13.02	13.01	12.97	11.87	9.34

Konts. Sõuga 19

Ed. Grünwald

Maattemperatuur

Oktober 1939.

	0.50			1.00			2.00			3.00	5.00
	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	13 ^h	13 ^h
1	6.8	6.8	6.7	9.0	9.0	9.0	11.7	11.6	11.6	11.6	9.6
2	6.3	5.9	5.4	9.0	8.9	8.8	11.6	11.5	11.4	11.5	9.7
3	5.5	5.3	5.3	8.7	8.6	8.5	11.4	11.4	11.3	11.5	9.7
4	5.1	5.0	4.9	8.4	8.3	8.2	11.3	11.2	11.2	11.4	9.7
5	4.8	4.6	4.8	8.2	8.1	8.0	11.2	11.1	11.0	11.3	9.7
6	4.9	4.8	4.9	7.9	7.8	7.8	11.0	11.0	10.9	11.3	9.7
7	5.1	5.1	5.0	7.7	7.7	7.7	10.9	10.8	10.8	11.2	9.7
8	5.0	5.0	5.1	7.6	7.6	7.6	10.7	10.7	10.6	11.1	9.7
9	5.0	4.9	5.2	7.5	7.5	7.4	10.6	10.5	10.5	11.0	9.7
10	5.2	5.1	5.1	7.4	7.4	7.4	10.5	10.4	10.3	11.0	9.8
11	5.0	4.8	4.8	7.4	7.3	7.2	10.3	10.3	10.2	10.9	9.7
12	4.0	4.3	3.7	7.2	7.2	7.1	10.2	10.2	10.0	10.8	9.7
13	3.5	3.8	3.7	7.0	6.9	6.8	10.1	10.1	10.0	10.7	9.7
14	3.6	3.6	3.8	6.7	6.7	6.6	10.0	10.0	9.9	10.6	9.7
15	3.7	4.0	4.0	6.5	6.5	6.4	9.9	9.9	9.8	10.5	9.6
16	4.5	4.8	5.5	6.4	6.5	6.5	9.7	9.7	9.6	10.4	9.6
17	5.9	5.9	5.8	6.6	6.7	6.8	9.7	9.6	9.6	10.4	9.6
18	5.6	5.3	5.4	6.9	6.9	6.9	9.5	9.5	9.5	10.3	9.6
19	5.0	4.7	4.5	6.9	6.9	6.8	9.5	9.4	9.4	10.2	9.6
20	4.3	4.2	4.1	6.8	6.7	6.6	9.4	9.4	9.3	10.1	9.6
21	3.8	3.6	3.6	6.5	6.5	6.4	9.3	9.3	9.3	10.0	9.6
22	3.5	3.4	3.3	6.3	6.2	6.1	9.3	9.2	9.2	9.9	9.6
23	3.2	3.1	3.0	6.0	5.9	5.9	9.2	9.2	9.1	9.8	9.5
24	3.0	3.0	2.7	5.8	5.7	5.6	9.1	9.0	9.0	9.8	9.5
25	3.0	3.0	2.9	5.6	5.6	5.5	8.9	8.9	8.9	9.7	9.4
26	3.2	3.3	3.5	5.4	5.5	5.4	8.8	8.8	8.7	9.6	9.4
27	3.6	3.4	3.8	5.4	5.4	5.4	8.7	8.7	8.6	9.6	9.3
28	4.0	4.0	4.0	5.5	5.5	5.5	8.6	8.6	8.6	9.5	9.2
29	4.1	4.0	3.9	5.6	5.6	5.6	8.6	8.5	8.5	9.4	9.3
30	3.8	3.7	3.5	5.6	5.6	5.6	8.5	8.5	8.4	9.3	9.3
31	3.4	3.4	3.4	5.6	5.6	5.5	8.4	8.4	8.3	9.3	9.3
S	137.4	135.8	135.3	213.1	212.3	210.6	306.6	305.4	303.5	323.7	296.8
K	4.43 ^v	4.38 ^v	4.36 ^v	6.87 ^v	6.85 ^v	6.79 ^v	9.89 ^v	9.85 ^v	9.79 ^v	10.44 ^v	9.57 ^v

Konts. 1939. 10. 10.

Konts. 1939. 10. 10.

Maate m pene June
November 1939

Kmbs. 11.041

102

	0.50			1.00			2.00			3.00	5.00
	7h	13h	21h	7h	13h	21h	7h	13h	21h	13h	13h
1	3.3	3.2	3.1	5.5	5.4	5.4	8.4	8.3	8.3	9.2	9.3
2	3.0	2.9	2.7	5.3	5.3	5.2	8.3	8.3	8.2	9.1	9.3
3	2.7	2.7	2.5	5.2	5.1	5.1	8.2	8.2	8.1	9.1	9.3
4	2.5	2.4	2.4	5.0	5.0	4.9	8.1	8.1	8.1	9.0	9.2
5	2.4	2.4	2.3	4.8	4.8	4.7	8.0	8.0	8.0	8.9	9.1
6	2.3	2.3	2.3	4.7	4.7	4.6	8.0	8.0	7.9	8.8	9.1
7	2.2	2.3	2.5	4.6	4.5	4.5	7.9	7.8	7.8	8.8	9.1
8	3.0	3.2	3.7	4.5	4.5	4.6	7.7	7.7	7.7	8.7	9.1
9	3.8	4.0	4.5	4.7	4.7	4.8	7.7	7.6	7.6	8.6	9.0
10	5.0	5.2	5.6	4.9	5.0	5.2	7.6	7.6	7.5	8.5	9.0
11	5.6	5.7	5.6	5.3	5.5	5.5	7.6	7.6	7.5	8.4	9.0
12	5.2	5.1	5.2	5.6	5.7	5.8	7.5	7.5	7.5	8.3	8.9
13	4.9	4.8	4.3	5.7	5.7	5.7	7.5	7.5	7.5	8.3	8.8
14	3.9	3.8	3.5	5.7	5.6	5.5	7.5	7.5	7.5	8.3	8.9
15	3.6	3.6	3.7	5.4	5.4	5.3	7.5	7.5	7.5	8.2	8.9
16	4.0	4.2	4.5	5.2	5.2	5.2	7.5	7.5	7.5	8.2	8.9
17	4.6	4.7	4.7	5.3	5.3	5.3	7.5	7.5	7.5	8.1	8.8
18	4.5	4.4	4.4	5.4	5.4	5.4	7.4	7.4	7.4	8.1	8.7
19	4.2	3.7	3.7	5.4	5.4	5.3	7.4	7.4	7.4	8.0	8.7
20	3.6	3.5	3.4	5.3	5.2	5.2	7.4	7.4	7.4	8.0	8.7
21	3.0	3.0	2.9	5.1	5.0	4.9	7.4	7.4	7.3	7.9	8.6
22	2.5	2.6	2.5	4.8	4.8	4.7	7.3	7.3	7.3	7.9	8.6
23	2.3	2.3	1.8	4.6	4.6	4.5	7.3	7.3	7.2	7.8	8.6
24	2.0	1.9	1.5	4.4	4.4	4.2	7.2	7.2	7.1	7.8	8.6
25	1.6	1.6	1.5	4.1	4.1	4.0	7.1	7.2	7.1	7.8	8.6
26	1.3	1.4	1.2	3.9	3.9	3.8	7.1	7.1	7.0	7.7	8.5
27	1.2	1.2	1.2	3.7	3.7	3.6	7.0	7.0	6.9	7.7	8.5
28	1.2	1.3	1.2	3.6	3.6	3.5	6.9	6.9	6.8	7.6	8.4
29	1.2	1.2	1.2	3.5	3.5	3.4	6.8	6.8	6.7	7.6	8.4
30	1.2	1.2	1.2	3.4	3.4	3.3	6.7	6.7	6.6	7.6	8.4
S	91.8	91.8	90.8	144.6	144.4	143.1	225.5	225.3	223.9	248.0	265.0
K	3.06	3.06	3.03	4.82	4.81	4.77	7.52	7.51	7.46	8.27	8.83

Kuiter, Nippona, Dohi

arvulus. Ed. Grünwald

Max. 3.2 4. XII
Min. -21.5 31. XII

Konds. Lugo Wk1

Naatempatuur Detsember 1939.

	0.50			1.00			2.00			3.00	5.00
	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	7 ^h	13 ^h	21 ^h	13 ^h	13 ^h
1	1.2	1.2	1.2	3.3	3.3	3.2	6.6	6.6	6.6	7.5	8.4
2	1.2	1.3	1.2	3.2	3.3	3.2	6.4	6.5	6.5	7.4	8.4
3	1.3	1.3	1.3	3.2	3.2	3.2	6.5	6.5	6.4	7.4	8.4
4	1.3	1.3	1.3	3.2	3.2	3.1	6.4	6.4	6.3	7.3	8.3
5	1.3	1.3	1.3	3.1	3.1	3.1	6.3	6.3	6.2	7.2	8.3
6	1.3	1.3	1.3	3.1	3.1	3.1	6.2	6.2	6.2	7.2	8.2
7	1.3	1.3	1.3	3.1	3.0	3.0	6.1	6.1	6.1	7.1	8.2
8	1.3	1.3	1.3	3.0	3.0	3.0	6.1	6.1	6.1	7.1	8.2
9	1.3	1.3	1.3	3.0	3.0	3.0	6.0	6.1	6.0	7.0	8.2
10	1.2	1.2	1.3	2.9	2.9	2.9	6.0	6.0	5.9	6.9	8.1
11	1.2	1.2	1.0	2.9	2.9	2.9	5.9	5.9	5.9	6.9	8.1
12	0.9	1.1	0.8	2.9	2.9	2.9	5.8	5.9	5.8	6.8	8.1
13	0.9	1.0	0.9	2.9	2.8	2.7	5.8	5.8	5.8	6.8	8.0
14	0.9	0.9	0.9	2.8	2.8	2.7	5.8	5.8	5.7	6.7	8.0
15	0.9	0.9	0.8	2.7	2.7	2.7	5.7	5.7	5.7	6.6	8.0
16	0.8	0.8	0.8	2.7	2.7	2.6	5.7	5.7	5.6	6.6	8.0
17	0.8	0.8	0.7	2.6	2.6	2.6	5.6	5.6	5.6	6.6	8.0
18	0.8	0.8	0.8	2.6	2.6	2.5	5.6	5.6	5.5	6.5	7.9
19	0.8	0.7	0.7	2.5	2.5	2.5	5.5	5.5	5.5	6.4	7.9
20	0.7	0.8	0.8	2.4	2.5	2.4	5.4	5.5	5.4	6.3	7.8
21	0.5	0.7	0.4	2.4	2.5	2.4	5.4	5.4	5.4	6.3	7.8
22	0.1	0.4	0.3	2.4	2.4	2.3	5.4	5.4	5.4	6.2	7.8
23	0.4	0.2	0.3	2.3	2.3	2.2	5.3	5.3	5.3	6.1	7.8
24	0.0	0.3	0.0	2.2	2.3	2.2	5.3	5.3	5.2	6.1	7.7
25	-0.2	-0.1	-0.1	2.1	2.2	2.1	5.1	5.2	5.2	6.0	7.6
26	-0.3	-0.3	-0.4	2.1	2.1	2.0	5.2	5.2	5.1	6.0	7.6
27	-0.7	-0.8	-1.0	2.0	2.0	1.9	5.1	5.1	5.1	6.0	7.6
28	-1.0	-1.0	-1.0	1.9	1.9	1.8	5.1	5.1	5.0	5.9	7.6
29	-1.0	-1.1	-1.3	1.7	1.8	1.6	5.0	5.0	5.0	5.9	7.5
30	-1.3	-1.2	-1.4	1.6	1.6	1.6	5.0	5.0	4.9	5.9	7.5
31	-1.8	-2.1	-2.3	1.5	1.5	1.5	4.9	4.9	4.8	5.8	7.5
S	16.1 [✓]	16.8 [✓]	13.9 [✓]	80.3 [✓]	80.7 [✓]	78.9 [✓]	176.7 [✓]	176.7 [✓]	175.2 [✓]	204.5 [✓]	248.5 [✓]
K	0.52 [✓]	0.54 [✓]	0.45 [✓]	2.59 [✓]	2.60 [✓]	2.54 [✓]	5.68 [✓]	5.70 [✓]	5.65 [✓]	6.60 [✓]	8.02 [✓]

Kont. 1940. Joch.